Ref #	Hits	Search Query	DBs .	Default Operator	Plurals	Time Stamp
S1	2	"6353818".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 10:33
S2	2	"6779016".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 11:34
\$3	2	"20050192937".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 15:07
S4	1	"20050192937".pn. and signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 15:07
S5	183	query adj6 scheduling	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 11:38
S6	1	S5 same GUI	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/08/15 11:35
S7	55	S5 and GUI	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 11:35
S8	34	schedul\$4 with query with ((later near3 time) or future)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 11:40
S9	48	((save or store) near3 query) same (schedul\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 12:02
S10	2	"7051020".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 11:49

S11	2	"6938036".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	ON	2006/08/15 11:50
			DERWENT; IBM_TDB			
S12	2	"5212788".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 11:50
S13	2	"6366915".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 11:51
S14	2	"20030172082".pn	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 11:56
S15	1	"20030172082".pn. and (display near3 frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 11:57
S16	2	"20030172082".pn. and (report same user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 12:00
S17	0	"20030172082".pn. and (verification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 12:00
S18	0	"20030172082".pn. and (verif\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 12:01
S19	0	"20030172082".pn. and (validate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 12:01
S20	0	"20030172082".pn. and (validat\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 12:01

S21	99	query same week same month same year	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/08/15 12:03
S22	23	(query same week same month same year) same display	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 12:18
S23	5	"3725227".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 12:19
524	3	"6725227".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 12:22
S25	474	user with schedul\$4 with query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 12:23
S26	5	S25 same (verify or validat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 12:23
S27	5	S25 same (verify or validat\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 17:39
S28	20	(query with (estimat\$4 or determin\$4) with cost) same (schedul\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 17:57
S30	2	"6366915".pn. and user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 17:59
S31	1	"6366915".pn. and (user same schedule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 18:43

S40	1	"6366915".pn. and (cost)	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	ON	2006/08/15 20:44
			DERWENT; IBM_TDB			
S41	81	recommend\$6 with (time or date) with query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 20:45
S42	5	(recommend\$6 with (time or date) with query) same schedul\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 20:46
S43	621	((time or date) with query) same (schedul\$5 with query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 20:47
S44	11	(((time or date) with query) same (schedul\$5 with query)) same suggest\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 20:48
S45	1	(((time or date) with query) same (schedul\$5 with query)) same (recommend)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 20:48
S46	4	(((time or date) with query) same (schedul\$5 with query)) same (recommend\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:01
S47	0	determine same select\$4 same (query near3 schedul\$5 near3 options)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:02
S48	15	select\$4 same (query near3 schedul\$5 near3 options)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/08/15 21:08
S49	2	interface same (query near3 schedul\$5 near3 options)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:08

S50	23	select\$4 same (query with schedul\$5 with options)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:09
S51	11	(select same interface) and (query with schedul\$5 with options)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:11
S52	0	suggested near3 query near3 (run near3 times)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:11
553	0	suggested near3 query near3 (run\$1times)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:11
S54	3	suggested with query with execution with time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:12
S55	0	recommened with query with execution with time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:13
S56	62	optimal with query with execution with time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/08/15 21:13
S57	1	optimal with query with execution with time with (suggest\$4 or recommend\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:23
S58	0	optimal with query with execution with time with (provided)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:14
S59	0	generat\$4 near3 query near3 scheduling near3 options	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:15

S60	0	generat\$4 with query with scheduling with options	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:15
S61	48	generat\$4 with query with scheduling .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:20
S62	422	generat\$4 same query same schedul\$4 same (time or date)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:23
S63	13	S62 same (recommend\$4 or suggest\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:23
S64	30	generat\$4 same (batch near3 operation) same schedul\$4 same (time or date)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:23
S 65	0	S64 same (recommend\$4 or suggest\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:23
S66		(batch near3 operation) with execution with time with (suggest\$4 or recommend\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:25
S67	3	(batch) with execution with time with (suggest\$4 or recommend\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:24
S68	2	generate same future same time same (batch near3 operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:24
S69	12	generat\$4 same future same time same (batch near3 operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:25

S70	1	(suggest\$4 or recommend\$4) same future same time same (batch near3 operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:25
S71	293	(suggest\$4 or recommend\$4) same time same (batch near3 operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:26
S72	1	(suggest\$4 or recommend\$4) same time same (batch near3 operation) same query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:40
S73	0	"6757670".pn. and (schedul\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:43
S74	0	"6757670".pn. and (time near3 use)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:44
S75	0	"6757670".pn. and (time same use)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:44
S76		"6757670".pn. and (time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:48
S77	0	"6757670".pn. and recommend	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:48
S78	1	"6757670".pn. and recommend\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:51
S79	0	recommend\$4 same (period or frame) same (quer\$5 near3 execution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:51

580	2	present\$4 same (period or frame) same (quer\$5 near3 execution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:52
S81	47	present\$4 same (time or date or day or month or week) same (quer\$5 near3 execution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:54
S82	2	(determin\$4 or calculat\$4 or predict\$4 or estimat\$4) with query with (schedul\$4 near3 options)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:55
S83	351	(determin\$4 or calculat\$4 or predict\$4 or estimat\$4) with query with (schedul\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 21:55
S85	192	((determin\$4 or calculat\$4 or predict\$4 or estimat\$4) with query with (schedul\$4)) same (time or date or day or month or week)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 22:00
S86	63	((determin\$4 or calculat\$4 or predict\$4 or estimat\$4) with (query near3 (schedul\$4))) same (time or date or day or month or week)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 22:07
S87	1	"20040267585".pn. and "328"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 22:02
S88	. 31	limit with (schedul\$4) with query .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 22:07
589	58	limit\$4 with (schedul\$4) with query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 22:09
S90	0	limit\$4 with (schedul\$4) with query with options	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 22:07

		wayaya waxaya waxay	- -			
S91	12	generat\$4 with alternative with query with time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 22:11
S92	3	generat\$4 with alternative with query with date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 22:11
S93	0	generat\$4 near3 alternative near3 query near3 date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 22:12
594	0	(system or operator or administrator) adj7 (limit or restrict) adj7 (query near3 scheduling)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 22:12
S95	1	(system or operator or administrator) same (limit or restrict) same (query near3 scheduling)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/08/15 22:13
S96	1	(system or operator or administrator) same (limit or restrict\$4) same (query near3 scheduling)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 22:13
S97	11	(limit or restrict\$4) same (query near3 scheduling)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 22:14
S98	15	suggest\$4 same alternative same (execution adj time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 22:15
S99	5	suggest\$4 with time with run with query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 22:16
S10 0	0	recommend with time with run with query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 22:16

C10	1	recommend\$5 with time with run with query	US-PGPUB;	OR	ON	2006/08/15 22:17
S10 1		recommend\$5 with time with run with query	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OK	ON	2006/06/15 22:17
S10 2	11	predict\$4 with time with run with query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 22:17
S10 3	0	predict\$4 with date with run with query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 22:17
S10 4	0	predict\$4 with schedule with run with query .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 22:17
S10 5	139	dynamic\$4 same (query with schedul\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 22:18
S10 6	81	dynamic\$4 with query with schedul\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 22:20
S10 7	0	dynamic\$4 with query with schedul\$4 with criteria	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 22:19
S10 8	0	dynamic\$4 same (query near5 schedul\$4 near5 (option or criteria or propert\$4 or sett\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 22:21
S10 9	0	dynamic\$4 near5 (query near5 schedul\$4 near5 (option or criteria or propert\$4 or sett\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 22:21
S11 0	11	alternative near3 query near3 (time or date or day or week or month)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:10

			-		1	
S11 1	105	schedule same query same alternative	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:11
S11 2	14	schedule with query with alternative	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:12
S11 3	8	(suggest\$4 or recommend\$4 or determin\$4 or calculat\$4 or generat\$4) with alternative with query with (schedule or date or (execution adj time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:14
S11 4	28	option same run same query same later	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:25
S11 5	13	query with run with system with down	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:26
S11 6	0	query with run with night	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:26
S11 7	0	query with run with AM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:27
\$11 8	245	query with AM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:28
S11 9	1	query with AM with suggest\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:27
S12 0	54	provid\$4 with future with query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:30

S12 1	1	provid\$4 with ((future or later) near3 (time or date or day or week)) with query with schedule	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/08/16 12:31
S12 2	5	provid\$4 same ((future or later) near3 (time or date or day or week)) same (query same schedule)	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:33
S12 3	2	provid\$4 same ((future or later) near3 (time or date or day or week)) same (query near5 schedule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:32
S12 4	0	cost with query with night	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:33
S12 5	0	cost with query with (later with future)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/08/16 12:33
S12 6	39	cost with query with (later or future)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:34
S12 7	1	cost with query with (later or future) with schedule	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:34
S12 8	1	schedule with options with query with cost	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:35
S12 9	19	schedule with query with cost	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:42
\$13 0	121	select\$4 with query with schedule	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:49

S13 1	0	limit near3 scheduling near3 options near3 presented	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:49
S13 2	3	limit near3 scheduling near3 options	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:50
S13 3	274	limit near3 scheduling	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:54
S13 4	2	S133 same (query or (batch adj processing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 12:50
S13 5	61	S133 and query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 13:38
S13 6	2	"6366915".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 13:38
S13 7	1	"6366915".pn. and schedule	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 15:23
S13 8	1	"6366915".pn. and (schedule same interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 15:24
S13 9	2	"20030172082".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 15:24
S14 0	48	((save or store) near3 query) same (schedul\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 16:16

S14 1	2	"20030172082".pn. and schedul\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/08/16 16:49
S14 2	475351	query ajd5 (history or log)	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/08/16 16:49
S14 3	475353	query ajd2 (history or log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 16:58
S14 4	14448	S143 same (rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 16:50
S14 5	4505	S143 same (rule) same (similar\$6 or associat\$4 or compatibl\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 16:51
S14 7	19	S145 same (select\$4 near5 server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 16:52
S14 8	28	(compar\$4 near3 queries) same ((select\$4 or determin\$4) near3 server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 18:54
S14 9	1	"6353818".pn. and "102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 18:45
S15 0	11	(load near3 balanc\$4) same ((compar\$4 near3 queries) or (query near3 (history or log)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/08/16 18:50
S15 1	1	"6950848".pn. and ((histor\$4 or log) or rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 18:51

S15	19	compar\$4 near3 query near3 (stats or statistics)	US-PGPUB;	OR	ON	2006/08/16 19:08
2			USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
\$15 3 .	.1	(compar\$4 near3 query near3 (stats or statistics)) and (load near3 balancing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 18:55
S15 4	121	(execute or run) with query with (log or history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 19:09
S15 5	44	(execute or run) with query with (query near3 (log or history))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 20:42
S15 6	1	"20030093408".pn. and (index near3 recommendation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 19:28
\$15 7	1	"6366915".pn. and analysis	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 20:43
S15 8	0	"6366915".pn. and analyze	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 20:43
\$15 9	2629	analysis adj routine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 20:43
S16 0	2629	analysis adj1 routine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 20:44
S16 1	1	"20050192997".pn. and (analysis near3 routine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 20:56

S16	0	"20030172082".pn. and ((store or save) same schedule)	US-PGPUB;	OR	ON	2006/08/16 20:58
2			USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S16 3	0	"20030172082".pn. and (schedule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 20:57
S16 4	1	"20030172082".pn. and ((store or save) same schedul\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 20:59
S16 5	2629	"20030172082".pn. and ((store or save) same schedul\$4) and "Fig." S159	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 21:00
S16 6	0	"20030172082".pn. and ((store or save) same schedul\$4) and "Fig." near3 S159	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 21:00
S16 7	0	"20030172082".pn. and ((store or save) same schedul\$4) and S159	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 21:04
S16 8	1	"6366915".pn. and time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 21:13
S16 9	1	"6366915".pn. and time and cost	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 21:23
S17 0	1	"6366915".pn. and (user same status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 21:24
S17 1	0	"20030172082".pn. and (access same schedule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 12:47

S17 2	0	"20030172082".pn. and (select same schedule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 12:50
S17 3	1	"6366915".pn. and schedule	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/08/17 15:46
S17 4	2	"6366915".pn. and (medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 15:47
S17 5	1	"6366915".pn. and program	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/08/17 15:47
S17 6	2	"6366915".pn. and (computer same readable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 15:47

8/17/2006 5:30:59 PM C:\Documents and Settings\pdarno\My Documents\EAST\Workspaces\App No - 10787477\search 08-14-2006.wsp Page 17